



Growing U.S. Copper Resources

CORPORATE PRESENTATION May 2025

FDY: TSX I CPPKF: OTCOX

CAUTIONARY STATEMENT



Some of the statements in this presentation, other than statements of historical fact, are "forward-looking statements" and are based on the opinions and estimates of management as of the date such statements are made and are necessarily based on estimates and assumptions that are inherently subject to known and unknown risks, uncertainties and other factors that may cause actual results, level of activity, performance or achievements of Faraday Copper Corp. ("Faraday Copper" or "Faraday" or "The Company") to be materially different from those expressed or implied by such forward-looking statements. Forward-looking statements and information may be identified by such terms as "anticipates", "believes", "targets", "estimates", "plans", "expects", "may", "will", "could" or "would". Although Faraday Copper believes the expectations expressed in such forward-looking statements are based on reasonable assumptions, such statements should not be in any way construed as guarantees of future performance and actual results or developments may differ materially. Accordingly, readers should not place undue reliance on forward-looking statements or information except as may be required by applicable securities laws.

Factors that could cause actual results to differ materially from those in forward-looking statements include without limitation: market prices for metals; the conclusions of detailed feasibility and technical analyses; lower than expected grades and quantities of resources; receipt of regulatory approval; mining rates and recovery rates; significant capital requirements; price volatility in the spot and forward markets for commodities; fluctuations in rates of exchange; taxation; controls, regulations and political or economic developments in the countries in which Faraday does or may carry on business; the speculative nature of mineral exploration and development, competition; loss of key employees; rising costs of labour, supplies, fuel and equipment; actual results of current exploration or reclamation activities; accidents; labour disputes; defective title to mineral claims or property or contests over claims to mineral properties; unexpected delays and costs inherent to consulting and accommodating rights of Indigenous peoples and other groups; risks, uncertainties with respect to any future acquisitions by Faraday. In addition, there are risks and hazards associated with the business of mineral exploration, development and mining, including environmental events and hazards, industrial accidents, unusual or unexpected formations, pressures, cave-ins, flooding and the risk of inadequate insurance or inability to obtain insurance to cover these risks as well as "Risk Factors" included in Faraday's disclosure documents filed on and available at <u>www.sedarplus.ca</u>.

The metrics presented in this presentation are based on a PEA that includes an economic analysis of the potential viability of Mineral Resources. Mineral Resources that are not Mineral Reserves do not have demonstrated economic viability. This PEA is preliminary in nature, includes Inferred Mineral Resources that are considered too speculative geologically to have the economic considerations applied to them that would enable them to be categorized as Mineral Reserves, and there is no certainty the PEA will be realized.

This presentation makes reference to certain non-IFRS measures including production cash costs and all-in sustaining costs ("AISC"). These measures are not recognized under IFRS, do not have a standardized meaning prescribed by IFRS and therefore may not be comparable to similar measures presented by other issuers; however, Faraday believes that these measures are useful to assist readers in evaluating the total costs of producing copper from their operations. While there is no standardized meaning across the industry for this measure, the Company defines production cash costs as based on the direct operating costs, including mining, processing, and G&A, offsite charges, net of by-product credits. By-product credits are calculated using commodity prices: \$13.00 per pound of molybdenum and \$20.00 per ounce of silver. AISC is the sum of the production cash costs, sustaining capital expenditures and royalties.

This presentation does not constitute an offer to sell or a solicitation of an offer to buy any securities in any jurisdiction to any person to whom it is unlawful to make such an offer or solicitation in such jurisdiction. This presentation is not, and under no circumstances is to be construed as, a prospectus, an offering memorandum, an advertisement or a public offering of securities in Faraday Copper in Canada, the United States or any other jurisdiction. No securities commission or similar authority in Canada or in the United States has reviewed or in any way passed upon this presentation, and any representation to the contrary is an offence.

All of the forward-looking statements contained in this presentation are qualified by these cautionary statements. Faraday Copper does not intend, and does not assume any obligation, to update these forward-looking statements, except as required under applicable securities legislation. For more information on Faraday Copper, readers should refer to www.sedarplus.ca for the Faraday Copper's filings with the Canadian securities regulatory authorities.

Technical information in this presentation has been reviewed and approved by Thomas Bissig, Professional Geologist, VP Exploration of the Company and Zach Allwright, Professional Engineer, VP Projects and Evaluations of the Company, both a "Qualified Person" as defined under National Instrument 43-101 - Standards of Disclosure for Mineral Projects ("NI 43-101"). Both have verified the data contained herein (where possible) which included a review of the sampling analytical and test methods underlying the data, information and opinions disclosed herein.

All amounts are in U.S. dollars unless otherwise stated.

INVESTMENT HIGHLIGHTS



Strategy: Creating Value by Advancing One of the Largest Copper Projects in the U.S.

- Copper Creek is a Cu-Mo-Ag resource in Arizona with 4.2 Blbs of copper Measured and Indicated Mineral Resources
- Completed 40,000 metres of drilling targeting near-surface resource expansion
- Catalysts:
 - Updated technical report near the end of Q3 2025, targeting enhanced project economics through increased scale, optimized process flowsheet and inclusion of gold
 - Significant exploration upside with ongoing drilling, new near-surface discoveries and a portfolio of untested targets
- Supported by the Lundin Family, Murray Edwards and Pierre Lassonde and well-funded to deliver on our strategy
- Current U.S. Administration is highly-supportive of domestic mining projects



Notes: The Mineral Resource Estimate ("MRE") and Preliminary Economic Assessment ("PEA") for the Copper Creek project were published in a news release dated May 3, 2023 were reported in a technical report titled "Copper Creek Project NI 43-101 Technical Report and Preliminary Economic Assessment" with an effective date of May 3, 2023 available on the Company's website at www.faradaycopper.com and on the Company's SEDAR+ profile at www.sedarplus.ca. For the complete MRE tables and related notes refer to the relevant slides at the end of this presentation.

BUILDING MOMENTUM AT COPPER CREEK

Delivering on Our Strategy

| Sept 2021 | President and CEO Paul Harbidge appointed, assembled a new management team to re-start technical work and completed C\$5 million financing (C\$0.40 and a C\$0.60 five-year warrant) |
|-----------|--|
| Feb 2022 | Initiated 6,000-m initial drill program |
| Apr 2022 | Rebranded to Faraday Copper Corp. |
| May 2022 | Completed C\$20 million private placement financing (C\$0.80, no warrant) |
| Jul 2022 | Updated Mineral Resource Estimate ("MRE") |
| Oct 2022 | Initiated 10,000-m drill program |
| Nov 2022 | Commenced trading on TSX |
| Jan 2023 | Intersected massive sulphide below Copper Prince breccia |
| Feb 2023 | Completed C\$40 million bought deal financing (C\$0.80, no warrant) |
| Mar 2023 | Completed strategic land consolidation |
| May 2023 | Updated Preliminary Economic Assessment and MRE |
| Oct 2023 | Initiated 30,000-m drill program |
| Jan 2024 | Discovered Area 51 near-surface breccia mineralization |
| Feb 2024 | Identified coarse grind opportunity via metallurgical program |
| May 2024 | Completed C\$23 million bought deal financing (C\$0.80, no warrant) |
| Aug 2024 | Discovered Banjo breccia mineralization at American Eagle |
| Feb 2025 | Updated metallurgical program |
| Apr 2025 | Completed +30,000-m drill program |



 \sim

LEADERSHIP

Senior Mining Company Talent Who Know Great Projects

Management



Paul Harbidge President, CEO & Director

Prev: President & CEO of GT Gold. acquired by Newmont for \$456M, former SVP Exploration at Goldcorp and **General Manager** Exploration at Randgold Resources; Currently Director of Japan Gold



Graham Richardson **Chief Financial Officer** Prev: Goldcorp / Newmont



Zach Allwright **VP Projects & Evaluations** Prev: Mining Plus Consulting



Angela Johnson VP Corp Dev. & Sustainability Prev: SSR Mining, Calibre Mining



Dr. Thomas Bissig VP Exploration Prev: Goldcorp / Newmont



Aaron Cohn VP & Country Manager, USA Prev: Ma'aden / Newmont



Stacey Pavlova VP Investor Relations Prev: SSR Mining

Independent Directors



Russell Ball Chair

Prev: CEO, Calibre Mining: CFO, Goldcorp; CFO, Newmont; Currently Director of Ivanhoe Electric and Southern Silver Exploration



Audra Walsh Prev. CEO, Minas de Aguas Tenidas (MATSA)



Randy Engel Prev. EVP, Strategic Development, Newmont



Katherine Arnold Prev. Director, Environment, Hudbay



Robert Dovle Prev. CFO, Pan American Silver



Arndt Brettschneider Currently VP Operations & Projects, NGEX Minerals



Alan Wilson Prev. International Exploration Manager, Antofagasta



Notes: Market Capitalization as of May 12, 2025. Ownership as of May 31, 2024. Shares Outstanding, Options, Warrants, and Restricted Share Units as of May 12, 2025. Each warrant entitles the holder to purchase one common share at an exercise price of C\$0.60 at any time up to September 2026.

faradaycopper.com I page 6

Strategic Shareholders: 39.3%

Institutions: 28.3%

Insiders: 2.3%

Other: 30.1%

Analyst Coverage

| BMO 🔛 | Rene Cartier |
|-------------------------|----------------|
| Cg/Canaccord Genuity | Dalton Baretto |
| D Securities | Derick Ma |
| Ventum | Connor Mackay |

Financial Overview

| C\$164.4M | Market Capitalization |
|-----------|-------------------------------------|
| C\$7.6 M | Cash & Equivalents (March 31, 2025) |
| 205.5 M | Shares Outstanding |
| 11.3 M | Options |
| 12.5 M | Warrants |
| 8.3 M | Restricted Share Units |



39.3%

Ownership

28.3%

30.1%

2.3%


CORPORATE OVERVIEW



LOCATED IN ARIZONA COPPER COUNTRY




- Excellent infrastructure with access to road, rail and power
- Near mining and service hubs
- Adjacent to BHP's San Manuel
 / Kalamazoo deposit
- ~40 km from the Hayden Smelter (Asarco)



GEOLOGY AND MINERALIZATION

High-grade Breccias and Vein-hosted Porphyry





Note: The images above reflect conceptual open pit shells constrained with RPEEE at CuEq¹ cut-off grades of 0.13% for oxide material, 0.14% for transitional material, and 0.13% for sulphide material. Underground footprints constrained with RPEEE are stated as contained within estimation domains above 0.31% CuEq¹ cut-off grades. These were utilized as the resource constraining volumes in the 2023 MRE disclosed in a news release dated May 3, 2023. The potential grade and scale of the open pit and underground inventory is conceptual in nature. There has been insufficient technical analysis to define the open pit and underground inventory as economically viable inventory or mineable reserve.




POTENTIAL FOR NEW DISCOVERIES



Significant Growth Opportunities in an Underexplored District




across the property




DRILLING AT THE AMERICAN EAGLE AREA

- Drilling focused on near-surface mineralization
- Intersected significant mineralization above the American Eagle underground resource
- Multiple breccia discoveries, including FCD 24-073 at Banjo: 117.83 m at 1.12% copper and 2.43 g/t silver
- Confirmed vertical continuity of mineralization from surface to underground



Note: For further details refer to the news releases available on the Company's website and on SEDAR+.

AMERICAN EAGLE AREA: NEAR SURFACE POTENTIAL



Note: Drill results detailed on this section are from the Phase III drill program as of May 6, 2025. For further details on these results, refer to news releases available on the Company's website and on SEDAR+.

METALLURGICAL PERFORMANCE OVERVIEW

Unlocking Significant Upside with New Metallurgical Results

| Coarse Grind Optimization | Additional Benefits | Gold Program | |
|--|---|--|--|
| Over 95% copper sulphide recovery with coarse grind | High grade copper concentrate (over 30% copper) | Gold recovery over 75% supporting potential to add gold to the resource | Chalcocite Chalcopyrite |
| Grind energy significantly reduced | Confirmation of clean concentrate | Assay data and mineralogy show gold and copper are correlated | 20 mm Polished massive sulphide core from the Copper Prince bre |
| Unlocks processing scalability and operating cost reduction | Oxide copper recovery improved significantly | Gold associated with high grade breccias and bornite-rich porphyry | Bornite Chalcopyrite 1 mm |

Note: Comparisons on this slide are relative to the PEA base case. For further details refer to the Company's news release dated February 20, 2025. Additional details for the gold program are available in news releases dated October 5, 2023 and May 7, 2024.

Polished section photograph of Childs Aldwinkle mineralization

faradaycopper.com I page 12

eccia

ENVIRONMENTAL & STAKEHOLDER ENGAGEMENT



Baseline Data Collection and Stakeholder Outreach



ENVIRONMENT

Baseline environmental monitoring systems in place for data collection to support permitting process

- Water: hydrology studies, sampling and elevation measurements
 - Flow meters and piezometers
 - Drive-point wells
 - Classification (404 Permit)
- Air quality monitoring and meteorological station
- Flora and fauna studies
- Archaeological and cultural surveys

STAKEHOLDER ENGAGEMENT

- Commitment to open dialogue and support for the local economy and social programs
 - Annual community meetings and supporting local organizations within our communities
 - Outreach, meetings and site visits with Arizona's Native American Groups
 - Proactive engagement with regulators including Bureau of Land Management, Arizona Game & Fish, U.S. Army Corps of Engineers and Arizona Department of Environmental Quality

COPPER CREEK PROJECT: MILESTONES



Resource Update (Q3 2025)

Incorporating ~40,000 metres of drilling, targeting near-surface resource expansion

Gold program confirms potential payable byproduct

Technical Study Update (Q3 2025)

Targeting increased throughput and annual metal production profile

Maintaining low initial capital profile and enhanced project economics

Exploration Upside (Ongoing)

Steady news flow of assay results from ongoing Phase III drill program

Underexplored property with several hundred untested breccias mapped at surface





FARADAY COPPER

Contact Us

CONTACT INFORMATION

Suite 2800, 1055 Dunsmuir Street PO Box 49225 Vancouver, BC Canada www.faradaycopper.com

STACEY PAVLOVA, CFA


VP Investor Relations 778-730-1067 info@faradaycopper.com



Appendix

GOOD NEWS FOR MINING IN THE USA






Manganese facility. The DOE funding, once negotiated and secured, would provide 30% of the cost of South32's proposed commercial-scale manganese...

Hudbay Minerals' (TSX, NYSE: HBM) proposed 85,000-tonne-per-year Copper World project in Arizona is now fully permitted for development...

COPPER CREEK LAND PACKAGE



| $\overline{\mathbf{N}}$ |
|-------------------------|
|-------------------------|

- ~78 km² property offers optionality for infrastructure placement
- Mineral claims include patented claims, unpatented claims and state prospecting permits
- Private land parcel across San
 Pedro corridor connecting with
 BHP land package
- Ranch includes ~26,000 acres of surface rights through active grazing leases

PEA: HIGHLIGHTS

Based on 2023 MRE and 30,000 tpd Mill Throughput Scenario



51,100 tpa Life-of-Mine Average Annual Payable CuEq² Production

Life-of-Mine Payable **3.4 Blb** LITE-OI-IVILLE Fayab CuEq² Production

4.2 Blb

Measured and Indicated Copper Mineral Resource^a

KEY FINANCIAL DATA

| Post-tax NPV(7%) | \$713 million |
|--|--|
| Post-tax IRR | 15.6% |
| Post-tax Payback Period | 4.1 years |
| Post-tax NPV(7%) / Initial Capital Ratio | 0.9:1 |
| Initial Capital | \$798 million |
| Sustaining and Expansion Capital | \$1,689 million |
| Closure and Reclamation | \$170 million |
| Metal Prices | \$3.80/lb Cu, \$13.00/lb Mo, \$20/oz Ag |

ANTICIPATED PRODUCTION PROFILE

| Mine Life ^b | 32 years |
|--|------------------------|
| Tonnes Milled ^c | 10.8 Mtpa / 30,000 tpd |
| Open Pit Strip Ratio (waste:ore) | 1.2:1 |
| Copper Recovery (sulphide) | 94.4% |
| Average Annual Payable Production d, e | |
| Copper | 106 Mlbs |
| Molybdenum | 1.4 Mlbs |
| Silver | 324.6 Koz |
| CuEq ² | 51.1 Kt |
| Life-of-Mine Costs (by product) ³ | |
| LOM Production Cash Costs | \$1.67/lb Cu |
| LOM All-in Sustaining Costs | \$1.85/lb Cu |

Note: For numeric references, see the Endnotes slide.

a) The Mineral Resource Estimate was published in a news release dated May 3, 2023. For the complete MRE tables and related notes refer to the relevant slides at the end of this presentation.

Mine life includes active mining (Year 1 - 29) and final processing of stockpiles (Year 30 - 32) b)

Tonnes milled are exclusive of oxide and represent the average over the 32-year life of mine. c)

Average annual production considers the period of active mining during Years 1 - 29, Year 30 - 32 includes processing of stockpiles only. d)

Based on payability in concentrate of 96.5%, 95% and 98.5% for copper, silver, and molybdenum, respectively. Copper cathode payability of 98% is applied. e)

COPPER CREEK: MINERAL RESOURCES (2023)



| | | | Grade | | | | Contained | Metal | |
|------------------|-------------|------|-------|-------|-------------------|---------|-----------|-------|-------------------|
| Category | Tonnes (Mt) | Cu | Мо | Ag | CuEq ¹ | Cu | Мо | Ag | CuEq ¹ |
| | | (%) | (%) | (g/t) | (%) | (Mlbs) | (Mlbs) | (Moz) | (Mlbs) |
| Open Pit (OP) | | | | | | | | | |
| Measured | 67.2 | 0.48 | 0.008 | 1.2 | 0.51 | 710.5 | 12.5 | 2.6 | 751.1 |
| Indicated | 59.9 | 0.31 | 0.008 | 0.6 | 0.33 | 412.9 | 10.1 | 1.1 | 440.5 |
| M&I | 127.1 | 0.40 | 0.008 | 0.9 | 0.43 | 1,123.4 | 22.6 | 3.8 | 1,191.6 |
| Inferred | 48.1 | 0.28 | 0.006 | 0.5 | 0.30 | 298.4 | 6.4 | 0.7 | 316.0 |
| Underground (UG) | | | | | | | | | |
| Measured | 34.5 | 0.47 | 0.011 | 1.6 | 0.51 | 359.8 | 8.0 | 1.7 | 388.0 |
| Indicated | 260.3 | 0.47 | 0.008 | 1.2 | 0.50 | 2,720.6 | 43.9 | 10.0 | 2,876.8 |
| M&I | 294.8 | 0.47 | 0.008 | 1.2 | 0.50 | 3,080.4 | 52.0 | 11.8 | 3,264.8 |
| Inferred | 35.5 | 0.42 | 0.009 | 0.8 | 0.45 | 329.7 | 7.1 | 0.9 | 353.0 |
| Total (OP + UG) | | | | | | | | | |
| Measured | 101.6 | 0.48 | 0.009 | 1.3 | 0.51 | 1,070.3 | 20.5 | 4.4 | 1,139.1 |
| Indicated | 320.2 | 0.44 | 0.008 | 1.1 | 0.47 | 3,133.5 | 54.0 | 11.2 | 3,317.3 |
| M&I | 421.9 | 0.45 | 0.008 | 1.1 | 0.48 | 4,203.8 | 74.6 | 15.5 | 4,456.4 |
| Inferred | 83.6 | 0.34 | 0.007 | 0.6 | 0.36 | 628.2 | 13.4 | 1.7 | 669.0 |

Notes: Totals may not add due to rounding. The MRE for the Copper Creek project was published in a news release dated May 3, 2023. For the related notes refer to the relevant slide in the Appendix.

COPPER CREEK: NOTES TO MINERAL RESOURCES


| I — I |
|-------|
|-------|

- CuEq: Copper equivalent; g/t: Grams per tonne; Mlb: Million pounds; Moz: Million troy ounces; Mt: Million tonnes
- The mineral resources in this estimate were prepared in accordance with the Canadian Institute of Mining, Metallurgy and Petroleum (CIM) Standards on Mineral Resources and Reserves, Definitions and Guidelines (CIM, 2014) prepared by the CIM Standing Committee on Reserve Definitions and adopted by CIM Council.
- Pit shell constrained resources with RPEEE are stated as contained within estimation domains defined by the following cut-off grades: 0.13% CuEq for oxide material, 0.14% CuEq for transitional material, and 0.13% CuEq for sulphide material. Pit shells are based on an assumed copper price of \$3.80/lb, assumed molybdenum price of \$13.00/lb, assumed silver price of \$20.00/troy ounce (oz), and overall slope angle of 47 degrees based on preliminary geotechnical data. Operating cost assumptions include open pit mining cost of \$2.25/t, processing cost of \$7.60/t for milling transitional and sulphide material, \$4.56/t for oxide processing, general and administrative ("G&A") costs of \$1.00/t, and treatment charges and refining charges ("TCRC") and freight costs dependent on product and material type.
- Underground constrained resources with RPEEE are stated as contained within estimation domains above 0.31% CuEq cut-off grade . Underground bulk mining footprints are based on an assumed copper price of \$3.80/lb, assumed molybdenum price of \$13.00/lb, assumed silver price of \$20.00/oz, underground mining cost of \$7.30/t, processing cost of \$7.60/t, G&A costs of \$1.00/t, and TCRC and freight costs of \$6.50/t. Cave footprint optimization was completed in Geovia's Footprint Finder software and applied a 700 m maximum height of draw.
- Average bulk density assigned by domain is as follows: 2.47 grams per cubic centimetre (g/cm3) for all near-surface breccias, 2.60 g/cm3 for the deeper Mammoth and Keel breccias, porphyry mineralisation, and all other areas outside of breccias.
- Preliminary variable metallurgical recovery by metal and domain are considered for CuEq as follows: copper recovery of 92%, 85%, and 60% within sulphide, transitional, and oxide material, respectively; molybdenum recovery of 78% and 68% for sulphide and transitional material, respectively; and silver recovery of 50% and 40% for sulphide and transitional material, respectively.
- Mineral Resource (MRE) copper equivalent (CuEq) values are calculated using commodity type and price, considering the relevant preliminary recovery rate based on domain. For example, sulphide CuEq = [(Cu grade/100 * 0.92 Cu recovery * 2,204.62 * \$3.80) + (Mo grade/100 * 0.78 Mo recovery * 2,204.62 * \$13.00) + (Ag grade * 0.50 Ag recovery * \$20.00/31.10348)]/(0.92 Cu recovery * 2,204.62 * \$3.80) * 100.
- Preliminary Economic Assessment (PEA) copper equivalent (CuEq) values are calculated using commodity type and price, considering the relevant recovery rate based on domain, applied using a regression formula as a function of grade. Recovery regression formulas are based on the outcomes of the 2023 metallurgical test work and associated recovery guidance. Metal prices used in the calculation include \$3.80/lb copper, \$13.00/lb molybdenum, \$20.00/oz silver.
- Mineral resources are not mineral reserves and do not have demonstrated economic viability. There is no certainty that all or any part of the mineral resources will be converted into
 mineral reserves in the future. The estimate of mineral resources may be materially affected by environmental permitting, legal, title, taxation, socio-political, marketing, or other relevant
 issues.
- All quantities are rounded to the appropriate number of significant figures; consequently, sums may not add up due to rounding.

CONTACT COPPER PROJECT

Drill-ready, Copper Oxide Deposit

- 100% owned, 5,900+ acres of patented and unpatented mining claims in northern Nevada
- Excellent access to a major highway, power and local mining services
- Open pit, heap-leach copper oxide opportunity
- Deposit open in all directions with untested drill targets



Notes: Conceptual resource block model section from historical data presented in a technical report titled "NI 43-101 Pre-Feasibility Study on the Contact Copper Project" prepared for International Enexco, Ltd. by Hard Rock Consulting, LLC dated and filed by International Enexco Ltd. on SEDAR on October 1, 2013.

faradaycopper.com I page 22

Contact Copper

Elko

NEVADA

ENDNOTES

- Mineral Resource Estimate ("MRE") copper equivalent values are calculated using commodity type and price, considering the relevant preliminary recovery rate based on domain. For example, sulphide CuEq = [(Cu grade/100 * 0.92 Cu recovery * 2,204.62 * \$3.80) + (Mo grade/100 * 0.78 Mo recovery * 2,204.62 * \$13.00) + (Ag grade * 0.50 Ag recovery * \$20.00/31.10348)]/(0.92 Cu recovery * 2,204.62 * \$3.80) * 100.
- Preliminary Economic Assessment ("PEA") copper equivalent ("CuEq") values are calculated using commodity type and price, considering the relevant recovery rate based on domain, applied using a regression formula as a function of grade. Recovery regression formulas are based on the outcomes of the 2023 metallurgical test work and associated recovery guidance. Metal prices used in the calculation include \$3.80/lb copper, \$13.00/lb molybdenum, \$20.00/oz silver.
- 3. Production cash costs and all-in sustaining cash costs, net of by-product credits, per pound of copper or CuEq are non-IFRS financial performance measures with no standardized definition under IFRS. The Company believes these metrics are useful performance indicators based on industry standards and disclosures. Production cash costs are based on the direct operating costs, including mining, processing, and G&A, offsite charges, net of by-product credits. By-product credits are calculated using commodity prices: \$13.00 per pound of molybdenum, and \$20.00 per ounce of silver. Sustaining cash costs include sustaining capital expenditures and royalties.

Sampling Methodology, Chain of Custody, Quality Control and Quality Assurance:

All sampling was conducted under the supervision of the Company's geologists and the chain of custody from Copper Creek to the independent sample preparation facility, ALS Laboratories in Tucson, AZ, was continuously monitored. The samples were taken as ½ core, over 2 m core length. Samples were crushed, pulverized and sample pulps were analyzed using industry standard analytical methods including a 4-Acid ICP-MS multielement package and an ICP-AES method for high-grade copper samples. Gold was analyzed on a 30 g aliquot by fire assay with an ICP-AES finish. A certified reference sample was inserted every 20th sample. Coarse blanks were inserted every 20th sample. Approximately 5% of the core samples were cut into ¼ core and submitted as field duplicates. On top of internal QA-QC protocol, additional blanks, reference materials and duplicates were inserted by the analytical laboratory according to their procedure. Data verification of the analytical results included a statistical analysis of the standards and blanks that must pass certain parameters for acceptance to ensure accurate and verifiable results.



CONTACT INFORMATION

Suite 2800, 1055 Dunsmuir Street PO Box 49225 Vancouver, BC Canada www.faradaycopper.com

STACEY PAVLOVA, CFA

VP Investor Relations 778-730-1067 info@faradaycopper.com